

Quest® NetVault® Backup Plug-in *for VMware* 11.4.5 Release Notes

October 2017

These release notes provide information about the Quest® NetVault® Backup Plug-in *for VMware* release.

Topics:

- [About this release](#)
- [New features](#)
- [Enhancements](#)
- [Resolved issues](#)
- [Known issues](#)
- [System requirements](#)
- [Product licensing](#)
- [Upgrade and installation instructions](#)
- [More resources](#)
- [Globalization](#)
- [About us](#)

About this release

Quest NetVault Backup (NetVault Backup) Plug-in *for VMware* (Plug-in *for VMware*) 11.4.5 is a minor release, with enhanced features and functionality. For complete product documentation, visit <https://support.quest.com/technical-documents>.

New features

New features in Plug-in *for VMware* 11.4.5:

- Added support for VDDK 6.5 U2. (DNVMWARE-1757)
- Added support for Extents File System (XFS) versions 2 and 3 (v2 and v3) on Linux and UNIX. (DNVMWARE-1332, DNVMWARE-1778 (26989))
- Added support for policy management by using the **My Virtual Environment** node. Requires use of NetVault Backup 11.4.5 or later. (DNVMWARE-1756)

Enhancements

The following is a list of enhancements implemented in Plug-in for VMware 11.4.5.

Table 1. General enhancements

Enhancement	Issue ID
Added support for automatically turning on power to a renamed VM after successful completion of a restore.	DNVMWARE-1768
Updated the default setting for the Perform File Level Indexing option to change it from selected to cleared. If you want to update an existing Backup Selection Set that was created before 11.4.5 to use the new default, you must browse the plug-in once on the NetVault Backup Selections window. To do so, complete the following steps: <ol style="list-style-type: none">1 Click Create Backup Job.2 Next to the Selections list, click Create New.3 Open the NetVault Backup Client on which the plug-in is installed, and select VMware Plugin.4 In the Actions list, click Open. This process automatically updates the setting to the default, which clears the selection.5 Click Cancel.	DNVMWARE-1769
Added support for automatically turning on power to a VM after successful completion of a restore.	DNVMWARE-1771

Resolved issues

The following is a list of issues addressed in this release.

Table 2. General resolved issues

Resolved issue	Issue ID
Corrected an issue in which a backup job continued to back up the original virtual machine instead of the restored and renamed virtual machine.	DNVMWARE-1582 (30897)
Corrected an issue that caused an "Invalid response code: 503 Service Unavailable." message to appear during backups in SAN and NBD modes.	DNVMWARE-1681 (32221)
Corrected an issue that prevented release of a lock on a VM if a backup job failed during the snapshot process.	DNVMWARE-1744 (33244)
Corrected an issue that caused a file-level Full Backup of drive C from a Windows virtual machine using the NetVault Backup Plug-in for <i>FileSystem</i> to fail with the following error message: <code>Job manager lost message channel unexpectedly.</code>	DNFSP-970

Known issues

The following is a list of issues, including those issues attributed to third-party products, known to exist at the time of release.

Table 3. General known issues

Known issue	Issue ID
When restoring data to an alternate datastore, the plug-in does not verify whether the datastore is available. Verify that the datastore is valid and has sufficient disk space to accommodate the virtual machine.	DNVMWARE-18 (1714)
Raw Device Mapping (RDM) disks in virtual compatibility mode are restored to flat “.vmdk” files and not to the original RDM. The alternative is to omit these disks during a restore.	DNVMWARE-332 (2371)
If you select the Auto setting as the primary transport mode, during the backup of a virtual machine that has disks on SAN storage and storage accessible only through the network, the NetVault Backup logs may report the transport mode incorrectly as “san.” This issue occurs only when the disk is opened in a network-based mode—network block device (NBD) or NBDSSL (encrypted).	DNVMWARE-347 (2394)
The configuration setting [Custom:MountOperationTimeoutSecs], which is stored in the vmware.cfg file, determines how long the plug-in process waits for the mount daemon to respond to a request. The default value is set to 600 seconds during a fresh install and 300 seconds during an upgrade. If the mount daemon is unable to complete a request within the specified interval, the virtual machine is left in a mounted state. If you have many backups running simultaneously or your server is running under heavy load, modify the value for the [Custom:MountOperationTimeoutSecs] setting to avoid this issue.	DNVMWARE-505 (3131)
Virtual Disk Development Kit (VDDK) does not support non-UTF8 locales. On Linux-based clients that use non-UTF8 locales, the plug-in reports the error “Child Process died unexpectedly” and exits abnormally.	DNVMWARE-584 (3340)
When you use the NetVault Backup Plug-in <i>for Consolidation</i> , the image-level backups of virtual machines are displayed on the Create Selection Set page, but you cannot consolidate these savesets.	NVBU-3785 (6598, NVG-5474)
When you browse a localized virtual machine from an X11 or Motif GUI, the encoding of the name can cause the display to be scrambled or to not display at all.	DNVMWARE-664 (13679, VMW-157)
You cannot back up virtual machine templates using the Plug-in <i>for VMware</i> . Workaround: Convert the template to a virtual machine.	DNVMWARE-713 (13728, VMW-202)
To avoid file fragmentation, the Plug-in <i>for VMware</i> preallocates disk space before restoring files to disk. On Linux-based systems, files that are larger than 50 MB in size are not pre-allocated full disk space. Such files are handled similar to sparse files and allocated disk space as needed during restore. If the disk does not have sufficient space to fully restore files that are larger than 50 MB in size, the job fails when the disk runs out of space.	DNVMWARE-961 (21755)
The file-level indexing process does not generate indexes for symlinks.	DNVMWARE-977 (21793)
The file-level indexing process does not treat hard links in any special way and generates index entries for them as if they are separate entities. When you restore a saveset that includes a hard link, the plug-in stops responding.	DNVMWARE-978 (21794)
When a standalone VMware ESXi Server is added to the plug-in, a backup selection at a Resource Pool level does not back up any virtual machines in the resource pool.	DNVMWARE-1043 (22030)

Table 3. General known issues

Known issue	Issue ID
<p>Plug-in for VMware 2.6 issues:</p> <ul style="list-style-type: none"> When you upgrade to NetVault Backup 10.0 Server on a Windows machine running Plug-in for VMware 2.6, the existing versions of the SSL DLLs are overwritten. When you remove Plug-in for VMware 2.6, these DLLs are also removed. Therefore, before removing the plug-in, you must take a copy of the libeay32.dll and ssleay32.dll files from the <NetVault Home>\bin directory, and restore them to the same directory after removing the plug-in. Otherwise, the NetVault Backup Service does not start. If you install Plug-in for VMware 2.6 on a Windows-based NetVault Backup 10.0 Server, the NetVault Backup Service does not start. 	NVBU-8838 (24156)
<p>When using the NBD transport mode with VMware vSphere 5.1, a large Read Block Size may prevent multiple backup processes from running at the same time.</p> <p>Workaround: Use SAN or SCSI HotAdd transport modes or decrease Read Block Size.</p>	DNVMWARE-1430 (28815)
<p>When restoring NTFS sparse files, if the actual allocated size of a data run is smaller than the total size of the data run, the restored file might be corrupted.</p>	DNVMWARE-1456 (29043)
<p>If the Diagnose Virtual Machine method is unable to return any result within the timeout interval (five minutes), the Web Service process displays the following message: "Error: The remote machine: <Name of the NetVault Backup Server> is unavailable"</p> <p>You can close this dialog box to continue the current operation. In the background, the Diagnose Virtual Machine method runs the cleanup process to remove any snapshot that it has created.</p>	DNVMWARE-1528 (29795)
<p>The plug-in is unable to restore a standalone VMware ESXi Server 6.5 virtual machine to VMware vCenter 6.0 or 6.5.</p>	DNVMWARE-1698 (32475)
<p>The plug-in is unable to restore a virtual machine protected by VMware vSphere Fault Tolerance (vSphere FT) to an alternate VMware vCenter Server.</p>	DNVMWARE-1691 (32398)
<p>Installing an update of the plug-in puts the VMware Vstor2 MntApi driver into an inconsistent state.</p> <p>Workarounds:</p> <p>If you are using a Windows-based proxy server, restart the server after you remove a VDDK. If you try to install or remove the VMware Vstor2 MntApi driver without restarting the server, you might encounter an error. For more information, see http://pubs.vmware.com/Release_Notes/en/developer/vddk/65/vsphere-vddk-65-release-notes.html.</p> <p>Before installing the latest version of the plug-in, complete the following steps:</p> <ol style="list-style-type: none"> 1 Remove the existing version of the plug-in. 2 Check the status of VMware Vstor2 MntApi driver. 3 If the driver is present, delete it. 4 Install the latest version of the plug-in. 	DNVMWARE-1697 (32473)
<p>Support of virtual-machine encryption became available starting with vSphere 6.5; however, the plug-in does not support backup and restore of encrypted disks.</p>	DNVMWARE-1773

Table 4. Third-party known issues

Known issue	Issue ID
<p>When backing up a powered on virtual machine through a VMware vCenter Server, the plug-in may fail to back up the ".nvram", ".vmx", and ".log" files. For more information, see http://kb.vmware.com/kb/1019286.</p>	
<p>When a snapshot is created on a virtual machine that uses thin-provisioned disks, VMware vSphere (the client and the underlying disk library) identifies the disk as thick. For more information, see http://kb.vmware.com/kb/1020137.</p>	

Table 4. Third-party known issues

Known issue	Issue ID
<p>At the time of enabling CBT for a virtual machine, no snapshots must exist on it. For more information, see http://kb.vmware.com/kb/1033816.</p>	
<p>If an ESXi 5.x host is managed by a vCenter Server, the virtual machines should not be restored when connected directly to the ESXi host. This restriction is due to a feature introduced in vSphere 5. For more information, see http://www.vmware.com/support/developer/vddk/VDDK-500-ReleaseNotes.html#knownissues.</p>	
<p>To prevent the migration of a virtual machine while its disks are being accessed for a backup or restore, the plug-in uses VDDK APIs to lock and unlock a virtual machine. This functionality is disabled by default. To enable it, see the user's guide for the plug-in. Currently, the locking functionality has the following known issues:</p> <ul style="list-style-type: none"> • Locking a virtual machine may not always succeed even though API indicates success. This issue is under review with VMware. You can usually ignore this failure. • Unlocking is known to fail occasionally. This issue has been documented in the VDDK 5 release notes. For details, review the “EndAccess sometimes does not reenale migration after PrepareForAccess” section in the VDDK 5.0 Release Notes. • If the plug-in exits unexpectedly after locking a virtual machine, the virtual machine may be left in a locked state so that it is disabled for migration. <p>For information about removing the lock and enabling migration for the virtual machine, see http://kb.vmware.com/kb/2008957.</p>	
VDDK 5 issues:	
<ul style="list-style-type: none"> • Backup fails on a Linux-based client if any other virtual machine is in a powered on state on the same datastore. • Backup fails on a Linux-based client if parallel backup jobs (performed from different clients) access the same datastore. 	
<p>On a Windows 2012 virtual machine, data corruption may occur during or after a network copy operation. For more information, see http://kb.vmware.com/kb/2058692.</p>	
<p>If the size of a virtual drive is 2 TB or a multiple of 2 TB, the disk is always opened in NBD mode instead of SAN. This issue only affects virtual machines that use hardware version 10 (vmx-10).</p>	<p>DNVMWARE-1373 (27742)</p>
<p>Workaround: Increase or decrease the size of the virtual drive (for example, to 2.01 TB, 3.99 TB).</p>	
<p>When a virtual machine is cloned outside the vCenter Server, it may have the same UUID as the original virtual machine. If this cloned virtual machine is selected for a backup, the plug-in may back up the original virtual machine instead of the clone. To correct this issue, you must change the UUID of the cloned virtual machine. For more information about changing the UUID of a virtual machine, see http://kb.vmware.com/kb/1002403.</p>	<p>DNVMWARE-1443 (28921)</p>

Table 4. Third-party known issues

Known issue	Issue ID
To back up virtual machines that are protected by VMware vSphere Fault Tolerance (vSphere FT) with plug-in version 11.2 or later, your environment must use VMware ESXi 6.0 build number 4192238 or later. If you use an ESXi host with an unsupported build, vSphere FT protection might become disabled during the snapshot process. This issue occurs because of an issue in earlier versions of the VMware ESXi host. This issue is more likely to occur when the virtual machine uses Windows 2008 or later as the guest OS <i>and</i> it uses the VMware Tools VSS provider to take quiesced snapshots. For more information, see VMware KB article 2145664 .	DNVMWARE-1623, DNVMWARE-1671 (31423, 32123)
If you use VMware Virtual Volumes (VVol) with a storage array that does not support thick-provisioned disks by default, you might receive the following error message: Error creating disk Error creating VVol Object. This may be due to insufficient available space on the datastore or the datastore's inability to support the selected provisioning type. Workaround: To allow VVols to create thick-provisioned disks, enable thick provisioning on the storage array. For more information, see http://pubs.vmware.com/Release_Notes/en/horizon-6-view/horizon-62-view-release-notes.html .	DNVMWARE-1712 (32714)

System requirements

Before installing Plug-in for VMware, ensure that your system meets the requirements outlined in the following table and in the *Quest NetVault Backup Compatibility Guide* available at <https://support.quest.com/technical-documents>.

Table 5. System requirements

Requirement	Details
Operating systems	For a list of supported OS distributions and versions, see the VDDK 6.5 Release Notes .
NetVault Backup versions	The Plug-in for VMware 11.4.5 requires NetVault Backup 11.1 or later. For complete supported-platform information, see the <i>Quest NetVault Backup Compatibility Guide</i> available at https://support.quest.com/technical-documents .

i | **NOTE:** To use the Virtual Disk Development Kit (VDDK) with OEM ESXi, you require VMware ESXi Foundation, Standard, or Enterprise license. This license can be obtained from OEM or VMware directly.

Upgrade and compatibility

Plug-in for VMware 11.4.5 requires NetVault Backup 11.1 or later. For complete supported-platform information, see the *Quest NetVault Backup Compatibility Guide*.

- **Cannot browse mounted virtual machines after upgrading NetVault Backup:** After installing the plug-in, if you upgrade the NetVault Backup software, you must reinstall the plug-in on that machine. Otherwise, you cannot open the **Drives** node of a mounted virtual machine for any new file-level backups.
- **Restart the NetVault Backup Service if “nvvmwmount.exe” was running during upgrade:** If the mount process “nvvmwmount.exe” was running during an upgrade from 2.x, restart the NetVault Backup Service on the client.

Product licensing

To obtain the license key for your NetVault Backup Server environment, determine the NetVault Machine ID of your main NetVault Backup Server. Also identify the machine IDs of any clients running application plug-ins, such as Oracle, MySQL, PostgreSQL, SQL Server, and Exchange.

You can use the NetVault Configuration Wizard to install the product license keys. Alternatively, you can install the license keys from the Manage Clients page.

- [Obtaining a machine ID](#)
- [Installing a license key using the configuration wizard](#)
- [Installing a license key from the Manage Clients page](#)

Obtaining a machine ID

- 1 Start the NetVault Backup WebUI.
- 2 In the Navigation pane, click **Manage Clients**.
- 3 In the **NetVault Backup Clients** list, select the applicable machine, and click **Manage**.
- 4 On the **View Client** page, note the machine ID exactly as it is displayed in the **Client Summary** table.

Installing a license key using the configuration wizard

- 1 In the Navigation pane, click **Guided Configuration**.
- 2 On the **NetVault Configuration Wizard** page, click **Install Licenses**.
- 3 In the **NetVault Backup Clients** list, select the applicable machine, and click **Next**.
- 4 In the **Enter the license key string** box, type or copy and paste the license key, and click **Apply**.
After the key is applied successfully, a message is displayed.

Installing a license key from the Manage Clients page

- 1 In the Navigation pane, click **Manage Clients**.
- 2 In the **NetVault Backup Clients** list, select the applicable machine, and click **Manage**.
- 3 On the **View Client** page, click **Install License**.
- 4 In the **Install License** dialog box, type or copy and paste the license key, and click **Apply**.
After the key is applied successfully, a message is displayed.
- 5 To dismiss the dialog box, click **Close**.

Upgrade and installation instructions

The standard method for upgrading the plug-in is to install the latest version over the previous version of the plug-in. For installation instructions, see the *Quest NetVault Backup Plug-in for VMware User's Guide*.

To use the plug-in for file-level backup operations when upgrading the hybrid version of the plug-in on Windows, complete the following tasks in the given order:

- 1 Verify that no virtual machine is mounted for a file-level browse or backup operation.
If any virtual is mounted in a browse session, unmount it, or if it is mounted for a backup, wait until the backup completes.
- 2 From the NetVault Backup Process Viewer, check if any instance of **NetVault VM mount daemon** or **NetVault VM mount CLI** is running on the client.
Alternatively, use the Windows Task Manager to see if any instance of **nvvmwmount.exe** is running. If so, restart the NetVault Backup Service.
- 3 Verify that the Working Directory configured for the plug-in does not contain any subfolders named after the display names of virtual machines.
If the directory includes any mount folder, manually remove the folder. For more information, see the user's guide. If you fail to complete the cleanup routine, a subsequent mount operation fails with the error "A stale mount was found."
- 4 To ensure that a "Driver not found" error does not occur during the upgrade, follow the steps outlined in [Upgrade procedure](#).

Upgrade procedure

VDDK uses a kernel-mode driver for mounting a virtual machine during file-level backup and browse operations. The Plug-in *for VMware* automatically starts a service for the driver when you install the plug-in, but it does not verify whether the service is running when you perform an upgrade or a reinstallation.

If this service is not running on the client, the plug-in fails to complete the mount request and reports the error "Driver not found."

To upgrade the hybrid version of the plug-in on Windows:

- 1 Open a command prompt window.
- 2 Stop the service, if it is running:

```
sc stop vstor2-mntapi20-shared
```
- 3 Delete the service:

```
sc delete vstor2-mntapi20-shared
```
- 4 Verify that the service has been deleted:

```
sc query vstor2-mntapi20-shared
```


If the service is stuck in a "stopping" state, restart the machine.
- 5 Install the plug-in.

For information about installing the plug-in, see the *Quest NetVault Backup Plug-in for VMware User's Guide*.

More resources

Additional information is available from the following:

- [Online product documentation](#)
- [NetVault community](#)

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release supports any single-byte or multi-byte character set. It supports simultaneous operation with multilingual data. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan.

The release is localized to the following languages: Chinese (Simplified), French, German, Japanese, Korean.

About us

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece—you—to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit www.quest.com.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to-videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with your product.

Third-party contributions

This product contains the following third-party components. For third-party license information, go to <https://www.quest.com/legal/license-agreements.aspx>. Source code for components marked with an asterisk (*) is available at <https://opensource.quest.com>.

Table 6. List of third-party contributions

Component	License or acknowledgment
libcurl 7.21.0	MIT/X derivate N/A © 1996–2011, Daniel Stenberg, <daniel@haxx.se>. All rights reserved.

Table 6. List of third-party contributions

Component	License or acknowledgment
OpenSSL 1.0.1j	<p>OpenSSL 1.0</p> <p>© 1998–2015 The OpenSSL Project. All rights reserved.</p> <p>LICENSE ISSUES</p> <p>The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.</p> <p>OpenSSL License</p> <p>© 1998-2007 The OpenSSL Project. All rights reserved.</p> <p>Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:</p> <ol style="list-style-type: none"> 1 Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2 Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3 All advertising materials mentioning features or use of this software must display the following acknowledgment: This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (http://www.openssl.org/). 4 The names “OpenSSL Toolkit” and “OpenSSL Project” must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org. 5 Products derived from this software may not be called “OpenSSL” nor may “OpenSSL” appear in their names without prior written permission of the OpenSSL Project. 6 Redistributions of any form whatsoever must retain the following acknowledgment: This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (http://www.openssl.org/). <p>THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.</p> <p>This product includes cryptographic software written by Eric Young (ey@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).</p>

Table 6. List of third-party contributions

Component	License or acknowledgment
OpenSSL 1.0.1j (continued)	<p data-bbox="403 271 671 297">Original SSLeay License</p> <p data-bbox="403 309 895 336">© 1995-1998 Eric Young (eay@cryptsoft.com)</p> <p data-bbox="403 347 603 374">All rights reserved.</p> <p data-bbox="403 385 1294 412">This package is an SSL implementation written by Eric Young (eay@cryptsoft.com).</p> <p data-bbox="403 423 1155 450">The implementation was written so as to conform with Netscapes SSL.</p> <p data-bbox="403 461 1390 604">This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).</p> <p data-bbox="403 616 1390 669">Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed.</p> <p data-bbox="403 680 1390 734">If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used.</p> <p data-bbox="403 745 1382 799">This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.</p> <p data-bbox="403 810 1390 864">Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:</p> <ol data-bbox="443 887 1382 1122" style="list-style-type: none"> <li data-bbox="443 887 1382 940">1 Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer. <li data-bbox="443 958 1382 1048">2 Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. <li data-bbox="443 1066 1382 1122">3 All advertising materials mentioning features or use of this software must display the following acknowledgement: <p data-bbox="480 1140 1190 1193">This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).</p> <p data-bbox="480 1211 1390 1265">The word "cryptographic" can be left out if the routines from the library being used are not cryptographic related :-).</p> <ol data-bbox="443 1283 1334 1346" style="list-style-type: none"> <li data-bbox="443 1283 1334 1346">4 If you include any Windows-specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: <p data-bbox="480 1364 1275 1391">This product includes software written by Tim Hudson (tjh@cryptsoft.com).</p> <p data-bbox="403 1402 1390 1727">THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.</p> <p data-bbox="403 1738 1350 1823">The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]</p>

© 2017 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.
Attn: LEGAL Dept.
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our website (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, Join the Innovation, and NetVault are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.

-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

-  **IMPORTANT NOTE, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.