

Binary Tree® Directory Sync Pro for Active Directory 20.11.0

Release Notes

November 2021

These release notes provide information about the Binary Tree Directory Sync Pro for Active Directory 20.11.0 release.

Topics:

- [About this release](#)
- [Enhancements](#)
- [Resolved issues](#)
- [Known limitations](#)
- [System requirements](#)
- [Product licensing](#)
- [Upgrade and installation instructions](#)
- [More resources](#)
- [Globalization](#)
- [About us](#)

About this release

Binary Tree Directory Sync Pro for Active Directory sets up and maintains an Active Directory sync between multiple AD domains.

Directory Sync Pro for Active Directory 20.11.0 is a minor release, with enhancements and resolved issues.

Enhancements

The following is a list of enhancements implemented in Directory Sync Pro for Active Directory 20.11.0.

Table 1. General enhancements

Enhancement	Issue ID
Enhancements and testing completed for FIPS	24723
Testing completed for STIG Environments.	24986

Resolved issues

The following is a list of issues addressed in this release.

Table 2. General resolved issues

Resolved Issue	Issue ID
The default SA account password is now longer and more complex.	26328
An issue where rollback did not prepare the machine for the next cutover for Windows 10 has been resolved.	28747
An issue where the installer would disregard the advanced installation mode and always install SQL Express has been resolved.	29099
SQL Server 2017 Express is installed by default.	29606

Known limitations

The following is a list of known limitations or issues, including those attributed to third-party products, known to exist at the time of this release.

Table 3. Exchange and AD Sync known limitations

Known limitation	Issue ID
Directory Sync Pro for Active Directory cannot sync the same source directory to more than one target directory using the same SQL database. The supported configuration for this is separate instances of Directory Sync Pro for Active Directory writing to separate SQL databases.	4650
Renames and moves fail to work if you are using a manual /repushpull or /resync command. Before running the /repushpull /repush /repull and /resync commands, administrators should clear the target OU of any previously created Directory Sync Pro for Active Directory objects.	4651
When synchronizing objects into Exchange 2003 (only), the option to hide from the GAL will not function if the Recipient Update Service (RUS) is enabled.	4657
Directory Sync Pro for Active Directory does not sync OU attributes such as Managed By or Description.	4667

Table 4. Exchange and AD Sync - Device Synchronization known limitations

Known limitation	Issue ID
Support for mismatched device names using overrides and mapped values will be added in a future release.	4666

Table 5. Exchange and AD Sync - Group Objects known limitations

Known limitation	Issue ID
Directory Sync Pro for Active Directory will create nested group objects as User Objects during syncing when Blank or Invalid LDAP filters have been applied in the Sync Profile for source OU under User Filter. The user should apply (ObjectClass=x) LDAP filter if they do not want to migrate any of the user objects.	4662

Table 6. Exchange and AD Sync - Password Sync known limitations

Known limitation	Issue ID
Directory Sync Pro for Active Directory will encounter an error if the Administrator password contains special characters such as ", #, =. Take care using special characters in the Administrator password to avoid issues when performing the password copy portion of the synchronization.	4661
Password sync does not support usernames that contain spaces.	4675
Password sync does not support AES hashes.	31353

Table 7. Exchange and AD Sync - User Objects known limitations

Known limitation	Issue ID
If the AD to AD profile is configured to create mail-enabled users, and the source objects are mail-disabled, the objects in the target directory will be incorrectly stamped with an email address policy (if configured).	4658
There is an issue with the Target ThumbnailPhoto attribute being updated when it has been changed in the Source.	4670
When synchronizing AD to AD, converting a contact to a mail enabled user fails with an error regarding duplicated ProxyAddress caused by Directory Sync Pro for Active Directory trying to add the Contact's LegacyExchangeDN as the X500 address. Since the LegacyExchangeDN is already listed as a x500 address, it cannot be added.	4672
To synchronize the UserAccountControl attribute, an Exchange Migration Directory Sync Pro for Active Directory profile should be utilized. This attribute will not be synchronized if using an Active Directory Sync profile.	4678

Table 8. General Synchronization known limitations

Known limitation	Issue ID
Attempts to edit target objects synchronized from Exchange 2010 to Exchange 2003 will result in a dialog prompting you to click 'yes' to upgrade the object to the latest version. Objects should only be updated or deleted from the source directory.	4652
If the BTDirsync or BinaryTree.Dirsync.Exchange.exe service is not running, a warning or error message does not appear in the UI when you attempt to sync.	4660
Rooms, Resource, and Mail-in Databases are created without a proxyaddress or target address if the user mappings are removed.	4669
Directory Sync Pro for Active Directory cannot create an AD Container Object in the Target AD and cannot create objects that are contained in a Container.	4671
Directory Sync Pro for Active Directory does not populate the Manager attribute if the manager and subordinate are the same user.	4673
When a user object has another user object set as a manager and the manager user object does not exist in Target, the user object gets created, but the manager attribute is not set and an "unable to find Manager object" error is logged. If sIDHistory is being migrated, since this occurs after the object is created in the target, the NeedsAttention field is Zero (0), so the object is not resync'd and the manager attribute is not updated. If sIDHistory is not being migrated, the NeedsAttention flag remains a 1, so when the manager object is synced, the manager attribute does update successfully.	4674
Discover Custom Attributes may not launch or complete correctly when run multiple times. Restarting the Directory Sync Pro for Active Directory Service resolves this issue.	4676

Table 9. Installation known limitations

Known limitation	Issue ID
The default installation path (C:\Program Files\Binary Tree) contains a space between "Binary" and "Tree". If you are also installing Notes Integration CMT on the same servers, there will be two Binary Tree folders, one with a space and one without. This does not impact the functionality of either product.	4659
If the Local Security Option FIPS is enabled on the system where the Directory Sync Pro for Active Directory console is installed, the Directory Sync Pro for Active Directory Profiles will not be saved due to Directory Sync profile encryption technology being blocked by FIPS security setting. It is recommended to disable this security setting on the Directory Sync Pro for Active Directory console machine.	4665
A new passive node is created if Directory Sync Pro for Active Directory is uninstalled and re-installed and pointed to an existing SQL database.	4668
If using McAfee Antivirus software, the BTPassSvc.exe file should be excluded so it is not viewed as a potential virus.	4679
If using Symantec Antivirus software, the BTPassSvc.exe file should be added as an exception, so it is not viewed as a potential virus.	4680
If certain values in the advanced menu, such as Auto Map or Discover custom attributes, are grayed out following an installation, you may need to wait a while and then restart the service for them to become active.	14625

Table 10. Licensing known limitations

Known limitation	Issue ID
If an override TypeOfTransaction is set to an unrecognized value (i.e. "Skip") then a license will be burned. Valid TypeofTransaction values to use in an override are: Insert, Modify, Rename, Move and Delete.	4648

Table 11. Mapping known limitations

Known limitation	Issue ID
Creating a mapping and synchronizing the group attribute msExchCoManagedByLink from AD to AD will cause a synchronization error in the Directory Sync Pro for Active Directory log and the group object will not be created or updated in the target AD.	4663

Table 12. Matching known limitations

Known limitation	Issue ID
Enabled IPV6 on the Binary Tree Directory Sync Pro for Active Directory (DirSync) servers can cause referral matching to fail. IPV4 is the preferred version.	4655

Table 13. Override known limitations

Known limitation	Issue ID
When you save an override, Directory Sync Pro for Active Directory re-generates the Person or Groups view. It does this by dynamically generating a single SQL statement using the snippet of SQL code that is part of all overrides. The max size for this SQL statement is 8000 total characters. If many new overrides are added this limit could be exceeded and an error when adding the overrides will occur. In addition to the default overrides, approximately 15-20 more Person and 20-25 Group overrides can be added before hitting the size limit.	4664

Table 14. SQL known limitations

Known limitation	Issue ID
Deleting an object from both the target and source Active Directory (AD) will cause errors during the next directory synchronization, unless the object row is deleted from the SQL database. Binary Tree strongly recommends that updates and deletes are made from the source directory only.	4649
Removing a synchronization profile by using the Remove Domain button in the Directory Sync Pro for Active Directory UI does not remove the information from the SQL database.	4653
BT_Config.Description column exists in the SQL table, but is no longer used in the UI.	4654

Table 15. UI known limitations

Known limitation	Issue ID
Resync (same as repushpull but runs for all profiles) and repushpull can only be run manually from a command line and are not available in the user interface.	4656

System requirements

Refer to the Binary Tree Directory Sync Pro for Active Directory and Migrator Pro for Active Directory 20.11 Requirements and Installation Guide (<https://support.quest.com/technical-documents/binary-tree-directory-sync-pro-for-active-directory/20.11/requirements-and-installation-guide>) for system requirements.

Product licensing

A valid license is required for Binary Tree Directory Sync Pro for Active Directory and Binary Tree Migration Pro for Active Directory.

To obtain licenses, see information on this page <https://www.quest.com/company/contact-us.aspx> or contact the sales team at sales@quest.com

To specify a license file:

When opening the application for the first time, you are prompted to add a license before proceeding.

To view or add a license file:

1. In the upper-right menu, under Settings, select **Licenses**.
2. View the existing license info or click **Add License**.

Upgrade and installation instructions

Refer to the Binary Tree Directory Sync Pro for Active Directory and Migrator Pro for Active Directory 20.11 Requirements and Installation Guide (<https://support.quest.com/technical-documents/binary-tree-directory-sync-pro-for-active-directory/20.11/requirements-and-installation-guide>) for installation instructions.

More resources

Additional information is available from the following:

- Online product documentation (<https://support.quest.com/binary-tree-directory-sync-pro-for-active-directory/20.11/technical-documents>)

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan. It supports bidirectional writing (Arabic and Hebrew). The release supports Complex Script (Central Asia – India, Thailand).

About us

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit www.quest.com.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product.

© 2021 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.